


Reach new height with KEFID

- o production capacity increases 30%
- O Deep chamber increases 30%
- Reduce the operating cost 30%
- Realize two working principles' conversion with "crushing between materials" and "crushing between materials and liners"







B series VSI crusher is the first choice for artificial sand making and stone sharping. Its high performance and low costs make it stand out from traditional sand making machine. B series VSI crusher is specially used to provide excellent aggregate material to highway, railway, building, city construction and hydropower industry.





B Series VSI Crusher Fulfill sand making high efficiently with new technology

- 1.High production,more stable.Compared with traditonal machinery under same power, its production capacity increases 30% and structure is stability;
- Low consumption of easy-wear parts; Compared with machinery under same power, its operation cost reduces 30% and the usage cost.
- **3.Final products with good shape.**The final product is cubic and Grading is reasonable so that it is used for sand making.What's more,compared with the traditional machinery,the effect improved 30%.







- 5.Over-vibration device is equipped. There will be alarm when vibration surpasses a stipulated figure. It will stop the machine, in order to protect it.
- 6.Advanced double-pump oil lubrication system guarantee shaft bearing lower temperature increase, longer life time, more reliable operation.
- 7. Easy to install and maintain. The equipment can fulfill its most excellent effect through fine-tuning.
- 8.Special dust-proof design for main shaft bearing fully avoid dust entering bearing lubrication part, which make sure the machine work normally.
- 9.Special feed opening structure makes that two feeding methods, center feeding, center feeding & ring feeding, changes easily, in order to meet the requirement of crushing and reshaping stones.
- 10.Main shaft is equipped with imported precision rolling bearing. It makes main shaft work stable, lengthen maintenance cycle, increases productivity.



Fine crushing and screening mobile station-vertical shaft impact crusher mobile station

MAIN FEATURE

Equipped with vertical shaft impact crusher that of large crushing ratio, excellent output shape.

Adaptive host switching equipment, to meet the personalized needs of customers.

Easy and flexible to park, get into the work mode quickly.

With screening unit and crushing unit exchange system, the body can be reused.

Expert on cubial shape stone creating the perfect shape


Characters of Mobile Vertical Shaft Impact Crushing Plant: High capacity, suitable for fine crushing, shape adjusting easily, high performance, flexible, integral crushing & screening and belt conveyor self-loaded.



Extended functions

Interchange system of screening unit and crushing unit: Avehicle frame issuitable for 4 plant models and equipped with interchange system for screening unit and crushing unit. The customers just need to re-purchase the main equipment, then they can totally achieve the interchange on one body frame, between the different screening units and crushing units. The perfect matching between different parts of one plant adapts to a wider scope of application. With a more comprehensive crushing function, the customers get the maximum use of our products.





1- tread plate frame

2- Bearing cylinder assembly

3- working impeller

4- Upper frame

5- The retainer of feeding hopper

6- Feeding hopper

7- Distributing cone

8- Distributing plate

9- Head cover cyclotron assembly

10- Crushing cavity

11- Discharge gate

12- Supportive frame

13- Shock-reducing

14- Motor frame



Technical Parameters of B Series VSI Crusher

Model		B-7611	B-8518	B-9526	B-1140
Capacity (t/h)	Center and Ring feeding	120~180	200~260	300~380	450~520
	Center feeding	60~90	100~130	150~190	225~260
Max Feed Size (mm)	Soft material	<35	<40	<45	<50
	Hard material	<30	<35	<40	<45
Rotation speed (r/min)		1700~1890	1520~1690	1360~1510	1180~1310
Power for double motor (kW)		110~150	180~220	264~320	400~440
Overall Dimension LxWxH (mm)		3700×2150×2100	4140×2280×2425	4560×2447×2778	5000×2700×3300
Weight (t)		7.8	10.3	16	25.6
Power Source		380v, 50Hz			
Vibrating Sensor		Inspect scope: 0.1-20mm/s adjusted continuously			
Lubrication hydraulic pressure station	Power for double oil pump	2x0.31KW			
	Safety	To make sure the supply of the oil with double oil pump; stop working without oil or hydraulic pressure; temperature falls when the water cools; start the motor by heating it in winter.			
	Power for oil box heater	2KW.			

Note: Any change of B series VSI crusher technical data shall not be advised additionally.





Kefid 70-100tph cobblestone crushing line in Salvador



MATERIAL: cobblestone

FEEDING SIZE: 500mm

OUTPUT SIZE: 0-5mm, 5-20mm, 20-40m

CAPACITY (TPH): 70-100T/h

EQUIPMENT: 3YZS1860 Vibrating screen, PF1315 impact crusher

PE500x750Jaw crusher CSB75cone crusher VSIB7611VSI

crusher、3YZS1848 vibrating screen

Kefid 200tph granite crushing line in Tajikistan



MATERIAL: granite

FEEDING SIZE: 750mm

OUTPUT SIZE: 0-5mm, 5-10mm, 20-30m

CAPACITY (TPH): 200T/h

EQUIPMENT: ZSW1100×4200vibrating feeder、PE750×1060jaw

crusher VSIB9526 VSI crusher V

2LSX920Screw Sand Washing Machine . 2YZS1548vibrating

screen、 3YZS1860vibrating screen、 belt conveyor



The Strength of Kefid

Kefid Machinery is a leading and pioneering enterprise with the most advanced international level in R&D, manufacturing and selling of largescale crushing & screening plants and beneficiation plants.Located in a historic city and transportation hub in central China-Zhengzhou, covering 140 thousand square meters, Kefid has Shangjie and High-tech zone two production bases. Shangjie Zone which covers 80,000 square meters has three heavy-duty and modern integrated assembling workshops-occupying 50,000 square meters; High-tech zone has 22 floors R&D Management laboratory building with 26,000 square comprehensive equipments exhibition hall with 5,100 square meters, heavy-duty and modern integrated assembling workshop with 10,000 square meters, and also has the industry's most advanced machining workshop 20,000 square meters, and hundred sets of advanced large-scale vertical lathe, fixed lathe, planner, boring lathe, grinder and milling machines.













SERVICE-With Me- Enjoy your pleasant journey

Your profit is our greatest concern and your praise is the biggest compliment that we diligently strive for. Our aim is, with the core of service, tailored for you the most valuable products with comprehensive pre-sale, sale and after sale service.

Tel: 0086-371-67999255

Email: Sales@kefid.com



SPARE PARTS

B Series VSI Crusher



Feeding pipe



Dispersing Cone



Bearing cylinder



Host bearing



The bushing ring of hopper

Sand-making Equipment



Circum Guard plate



Impact Plate



Impact Block



Hammer



wearproof Plate

Crushing Plant



Rotor Assembly



Liner Board



Hammer Bar



Wedge



Impact Plate



PRODUCT LIST

Stationary Crushers

JC Series Jaw Crusher

Jaw Crusher

C6X Series Jaw Crusher

Primary Impact Crusher

CI5X Series Impact Crusher

Impact Crusher

CS Cone Crusher

Spring Cone Crusher

HPT Cone Crusher

Deep Rotor VSI Crusher

B Series VSI Crusher

VSI6S vertical shaft impact crusher

VU System Equipment

Dry Sand Making System

Dry-Mixed Mortar Sand Making Equipment

Concrete-Use Sand Making Equipment

Grinding Mills

Ultra Fine Vertical Grinding Mill

VM - Vertical Grinding Mill

European Tech. Grinding Mill

Micro Powder Mill

Raymond Mill

Ball Mill

Washing & Screening

F5X Heavy Vibrating Feeder

Screw Sand Washing Machine

Wheel Sand Washing Machine

Vibrating Feeder

Belt Conveyor

K series mobile plants

Primary mobile crushing plant

Mobile Secondary Crushing & Screening Plant

Independent Operating Combined Mobile Station

Fine crushing and screening mobile station

Fine crushing & washing mobile station

Three combinations mobile crushing plant

Four combinations mobile crushing plant

Crawler Mobile Crusher

Ore Beneficiation

Jaw Crusher

HPT Cone Crusher

Ball Mill

Rotary Kiln

Flotation Machine

High Gradient Magnetic Separator

Address: National HI-TECH Industry Development Zone. Zhengzhou, China.

Tel: 0086-371-67999255(24 Hour) / 67988500

Fax: 0086-371-67998980 **Zip code:** 450001

Email:sales@kefid.com Web: http://www.kefid.com

